



Angled positions for punchus



90° upwards cutting



90° upwards cutting



Punches

90° upwards cutting



05-7387
4 mm




05-7388
5 mm



05-7387 - 05-7388
KERRISON

90° upwards cutting



05-7389
3,3 mm



05-7390
4,0 mm



05-7389 - 05-7390
HAJEK-KOFLER

Punches

130° upwards cutting

KERRISON-JACOBY

05-7391
1 mm


FERRIS-SMITH-KERRISON

05-7392
2 mm

05-7393
3 mm

05-7394
4 mm

05-7395
5 mm



90° upwards cutting

KERRISON-JACOBY

05-7396
1 mm


05-7397
2 mm

FERRIS-SMITH-KERRISON

05-7398
3 mm



05-7399
4 mm

05-7400
5 mm



Rongeurs

Angled positions for rongeurs




05-7401
3,0 mm

05-7402
3,6 mm


05-7403
4,2 mm

05-7404
4,8 mm

05-7405
5,8 mm




05-7401 - 05-7405
WEIL-BLAKESLEY



05-7406
TAKAHASHI
3 mm

130°



05-7407
TAKAHASHI
3 mm


LOVE-GRUENWALD

05-7408
2 X 10 mm

05-7409
3 X 10 mm

SPURLING

05-7410
4 X 10 mm




05-7411
2 mm

05-7412
3 mm

05-7413
4 mm

05-7414
5 mm




150°

05-7415
2 mm

05-7416
3 mm

05-7417
4 mm



Rongeurs

150°

Lower part of jaws movable

05-7418
2 mm


05-7419
3 mm

05-7420
4 mm



05-7418 - 05-7420
CASPAR


Length of shaft 140 mm	Length of shaft 160 mm	Length of shaft 185 mm	size of jaws
05-7421	05-7426	05-7431	2 X12 mm
05-7422	05-7427	05-7432	3 X12 mm
05-7423	05-7428	05-7433	4 X14 mm
05-7424	05-7429	05-7434	5 X14 mm
05-7425	05-7430	05-7435	6 X16 mm



05-7421 - 05-7435
CASPAR

150°

Length of shaft 140 mm	Length of shaft 160 mm	Length of shaft 185 mm	size of jaws
05-7436	05-7439	05-7442	3 X12 mm
05-7437	05-7440	05-7443	4 X14 mm
05-7438	05-7441	05-7444	5 X14 mm




05-7436 - 05-7444
CASPAR

Rongeurs

150°


Lower part of jaw movable

Length of shaft 140 mm	Length of shaft 160 mm	Length of shaft 185 mm	size of jaws
05-7445	05-7447	05-7449	3 X 12 mm
05-7446	05-7448	05-7450	4 X 14 mm



05-7445 - 05-7450
CASPAR



05-7451
2 X 10 mm
CUSHING



05-7452
3 X 10 mm
LOVE-GRUENWALD



05-7453
4 X 10 mm
SPURLING




05-7451 - 05-7453

150°

05-7454
3 X 10 mm
LOVE-GRUENWALD



05-7455
4 X 10 mm
SPURLING



05-7454 - 05-7455


Rongeurs

150°

Upper part of jaw
movable

05-7456
3 X 10 mm
LOVE-GRUENWALD

05-7457
4 X 10 mm
SPURLING



05-7456 - 05-7457


05-7458
Ø 7 mm



05-7458
OLDBERG

05-7459
YASARGIL
Ø 2,2 mm

05-7460
YASARGIL
Ø 3,5 mm



05-7459 - 05-7460

